

COSHH Assessment Sheet

Company:	Date:	
ServiceMaster Clean by Deeland ltd	Jan 25	
Product:	Main Hazardous Constituent(s):	
Bactericidal Cleaner RTU (Ready to Use)	(2-methoxymethylethoxy)-propanol [DPGM	1E]
	Substance with a Community workplace	
	exposure limit 1-3%	
	C12-C16 alkylbenzyldimethyl, chlorides 0.1	l -
	1%	
Where Used:	Hazard Stated:	
A ready to use dual purpose washroom	H302 Harmful if swallowed	
cleaner	H314 Causes severe skin burns and eye dan	nage
	H400 Very toxic to aquatic life	
	H410 Very toxic to aquatic life with long-	
	lasting effects	
	Those at Risk:	
	Operators	
Hazard Form:	Risk Via:	
A pink coloured liquid with a fresh odour		
9.5-10.5pH	Inhalation Yes	
	Absorption through skin Yes	
	Ingestion Yes	
	Contact with eyes/skin Yes	
Health Effect(s):	Exposure Limits:	
Causes severe skin burns and eye damage,	(2-methoxymethylethoxy)-propanol	
harmful if swallowed.	WEL TWA 308mg/m3	
	WEL TWA 50ppm	
	WEL remark: (Can be absorbed through the	;
	skin. The assigned substances are those for	
	which there are concerns that dermal absorp	tion
	will lead to systematic toxicity)	

Handling/Usage:

Ensure good ventilation, wear the recommended personal protective equipment. Adopt the highest standards of

Occupational hygiene, do not eat drink or smoke whilst handling the product, always wash hands immediately after use.

Personal Protective Equipment:

Wear safety glasses, protective gloves, and suitable protective clothing. Wear suitable respiratory equipment where ventilation is inadequate.

General Assessment:

This ready to use product is for professional use only and should be used in accordance with the written instructions for use.

People using this product should be conversant with its safe handling, storage and use and be provided with a copy of this COSHH assessment.

Form No 98 Issue 2



COSHH – Specific Safety Instructions

Material:	Bactericidal Cleaner RTU (Ready to Use)	
Protective Equipment:	Exposure Limits:	(2-methoxymethylethoxy)-propanol WEL TWA 308mg/m3 WEL TWA 50ppm WEL remark: Sk (Can be absorbed through the skin. The assigned substances are those for which there are
	Ventilation:	Ensure area is well-ventilated.
	Respiratory Protection:	Wear suitable respiratory equipment where ventilation is inadequate.
	Eye Protection:	Safety glasses
	Hand/Skin Protection:	Protective gloves
First Aid Methods:	Inhalation:	Remove person to fresh air and keep comfortable for breathing.
Skin Contact:		Wash skin with plenty of water.
	Eye Contact:	Rinse eyes under running water for several minutes.
	Ingestion:	Do not induce vomiting. Wash mouth out with water, then drink plenty of water. Never give anything by mouth to an unconscious person.
Fire:	Extinguishing media:	Water spray. Dr powder. Foam. Carbon dioxide for surrounding fires.
	Special fire-fighting procedures:	Wear full personal protective equipment including self-contained breathing apparatus.
	Unusual fire & explosion hazards:	Toxic fumes may be released on combustion.
Storage:	Store in original containers. Keep container lids tightly closed when not in use. Store in a well-ventilated place, keep cool.	
Transport:	Not applicable under ADR, IMDG, IATA, AND, RID regulations.	
Spillage:	Always wear the recommended Personal protective equipment before attempting to clean up a spillage. Ventilate the spillage area. Take up the liquid with an absorbent material. Place contaminated absorbent material in a lidded container, and label ready for onwards safe disposal.	
Waste disposal:	Product:	Dispose of in accordance with Local Authority Guidelines.
-	Container:	Dispose of in accordance with Local Authority Guidelines.

Signed Originator: Andy Goodman Date Completed 06.01.25

Job Title: Business Operations Coordinator

Date for Revision: 06.01.26

Site assessment compiled for: Servicemaster Clean by Deeland Ltd

Issue 2

Form No 98