



Safety Data Sheet

Issue Date: 22-Oct-2012

Revision Date: 19-Dec-2018

Version 1

1. IDENTIFICATION

Product Identifier

Product Name SaniMaster 6

Other means of identification

SDS # SVM-078

Product Code 23784 & 23785
Formula code T1031

UN/ID No UN1903

Recommended use of the chemical and restrictions on use

Recommended Use Disinfectant.

Details of the supplier of the safety data sheet

Manufacturer Address
ServiceMaster™ Clean
3635 Knight Road Ste 7
Memphis, TN, USA. 38118

Emergency Telephone Number

Company Phone Number 1-800-756-5656 (ServiceMaster™ Clean)
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear, Yellow, water thin liquid

Physical State Liquid

Odor Lemon with pungent qual note

Classification

Serious eye damage/eye irritation

Category 1

Signal Word

Danger

Hazard Statements

Causes serious eye damage



Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a poison center or doctor/physician

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-90
Di-n-alkyl Dimethyl Ammonium Chloride	68424-95-3	5-10
Tetrasodium EDTA	64-02-8	1-5
Alkyl dimethyl benzyl ammonium chloride (C12-16)	68424-85-1	1-5
Alcohols, C12-15, ethoxylated	68131-39-5	1-5
Ethyl Alcohol	64-17-5	1-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES**First Aid Measures**

General Advice	Provide this SDS to medical personnel for treatment.
Eye Contact	Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately.
Skin Contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.
Inhalation	Move victim to fresh air. If symptoms persist, obtain medical attention.
Ingestion	Do not induce vomiting. Rinse mouth with water then drink one or two glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious, or is convulsing.

Most important symptoms and effects

Symptoms	Eye: May cause chemical burns or permanent damage. Skin: May cause chemical burns. Inhalation: May cause respiratory tract irritation. Ingestion: Harmful if swallowed. May cause chemical burns to mouth, throat and stomach.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical, foam, carbon dioxide, water mist or fog.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

Hazardous Combustion Products May include and are not limited to oxides of carbon, of nitrogen.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labeled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wear protective gloves/protective clothing and eyeface protection. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a closed container away from incompatible materials.

Incompatible Materials Acids. Oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³

Appropriate engineering controls

Engineering Controls General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical splash goggles.

Skin and Body Protection Rubber gloves. Confirm with a reputable supplier first.

Respiratory Protection Not normally required if good ventilation is maintained.

General Hygiene Considerations Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Odor	Lemon with pungent quat note
Appearance	Clear, Yellow, water thin liquid	Odor Threshold	Not determined
Color	Clear yellow	Remarks • Method	
Property	Values		
pH	7.2-8.2		
Melting Point/Freezing Point	Not determined		
Boiling Point/Boiling Range	Not determined		
Flash Point	> 100 °C / > 212 °F	Tag Closed Cup	
Evaporation Rate	Not determined		
Flammability (Solid, Gas)	Not determined		
Upper Flammability Limits	Not applicable		
Lower Flammability Limit	Not applicable		
Vapor Pressure	Not determined		
Vapor Density	Not determined		
Specific Gravity	0.998 - 0.998 @ 20°C		
Water Solubility	Not determined		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-Ignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Water thin		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		
Density	Density: pounds per gallons 8.32 - 8.34 @ 20°C		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Acids. Oxidizers.

Hazardous Decomposition Products

May include and are not limited to oxides of carbon, oxides of nitrogen when heated to decomposition.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Product Information**

Eye Contact	Causes serious eye damage.
Skin Contact	May cause temporary irritation on skin contact.
Inhalation	May cause irritation if inhaled.
Ingestion	May cause stomach distress, nausea or vomiting.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Tetrasodium EDTA 64-02-8	= 10 g/kg (Rat)	-	-
Alkyl dimethyl benzyl ammonium chloride (C12-16) 68424-85-1	= 426 mg/kg (Rat)	-	-
Alcohols, C12-15, ethoxylated 68131-39-5	= 2 g/kg (Rat)	-	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol 64-17-5	A3	Group 1	Known	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Chronic toxicity Prolonged or repeated exposure can cause drying, de-fatting and dermatitis.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static		610: 24 h Daphnia magna mg/L EC50
Ethyl Alcohol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Ethyl Alcohol 64-17-5	-0.32

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Ethyl Alcohol 64-17-5	Toxic Ignitable

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No	UN1903
Proper Shipping Name	Disinfectant Liquid, Corrosive, n.o.s. (Quaternary Ammonium Compounds)
Hazard Class	8
Packing Group	III

IATA

UN/ID No	UN1903
Proper Shipping Name	Disinfectant Liquid, Corrosive, n.o.s. (Quaternary Ammonium Compounds)
Hazard Class	8
Packing Group	III

IMDG

UN/ID No	UN1903
Proper Shipping Name	Disinfectant Liquid, Corrosive, n.o.s. (Quaternary Ammonium Compounds)
Hazard Class	8
Packing Group	III
Marine Pollutant	This material may meet the definition of a marine pollutant

TDG

UN/ID No	UN1903
Proper Shipping Name	Disinfectant Liquid, Corrosive, n.o.s. (Quaternary Ammonium Compounds)
Hazard Class	8
Packing Group	III

15. REGULATORY INFORMATION

International Inventories

TSCA	All ingredients are listed or exempt from listing on Chemical Substance Inventory
DSL	Listed
NDSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Ethyl Alcohol - 64-17-5	Carcinogen Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl Alcohol 64-17-5	X	X	X

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	3	0	0	Cor
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	Not determined	Not determined	Not determined	Not determined

Issue Date: 22-Oct-2012
 Revision Date: 19-Dec-2018
 Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet